

Consent form for procedures involving an Intrauterine Device

Client name:	
File number:	
DOB:	

Overview of treatment

An intrauterine device (IUD) provides extremely effective and long-term reversible contraception. The hormonal IUDs (Kyleena® and Mirena®) provide contraception for 5 years. The non-hormonal Copper IUD (TT380 short) and Multiload 375 IUD provide contraception for 5 years and the Copper IUD (TT380 standard) provides contraception for 10 years.

Benefits

An IUD is an effective form of contraception.

Overall, IUDs are an inexpensive choice of contraception, because a single device lasts a number of years.

IUDs are a reversible form of contraception, meaning their effect can be stopped at any stage by removing the device.

IUDs are a useful contraceptive choice for people who are unable to take contraception containing oestrogen, unable to take tablets due to conditions that affect how the gut absorbs medications, or when breastfeeding.

A Copper IUD is an effective choice for people seeking non-hormonal methods of contraception. It can also be used as emergency contraception within 5 days of unprotected sexual intercourse or up to 12 days after the first day of a period. The Copper IUD works from the day of insertion as a contraceptive. Side effects may include heavier and longer periods.

A hormonal IUD is a useful choice when seeking to reduce the amount of blood loss during periods and pain associated with periods. In the first 3-6 months following insertion, bleeding patterns may vary, but these usually settle. Although hormonal side effects such as acne may occur, they are rare.

Client name:				
	Pre-insertion section			
	Not Applicable (If removing only, please skip to next section)			
r	Any procedure is associated with a small amount of risk. Your health professional has explained these risks to you. This form is designed to ensure you understand the procedure, including the risks and benefits, and that you have the opportunity to discuss these with your clinician.			
N	a managaringa	Patient to ick boxes		
•	Pain may occur during and shortly after the procedure. Local anaesthetic spray may be used to reduce insertion-related pain. If you are concerned about pain, please discuss this with your clinician.	d 🗆		
•	Bleeding , which may occur during and after the procedure. It is usually minimal.			
	Hormonal IUD : irregular and frequent light bleeding in the first 3-6 months. This usually settles. If it does not settle, management options should be discussed with a doctor.			
	Copper IUD: sometimes heavy or painful periods. This may settle with time.			
•	Sometimes the IUD may move unexpectedly or come out . This can occur in 1 in 20 people, with the highest risk being in the first year after insertion. If this happens, pregnancy is a possibility.			
•	Infection , which can be passed into the uterus and spread into the pelvis. Infection is uncommon. The risk is highest in the first 20 days after an IUD insertion, and in 1 in 300 insertions. Treatment with antibiotics may be required and the infection can rarely cause infertility (inability to get pregnant).	s 🗆		
•	Puncture or hole in the wall of the uterus when the IUD is inserted. The risk of a puncture or hole is very small and happens in about 2 in 1000 IUD insertions. The risk increases if you are breastfeeding or you have given birth in the last 9 months. If a puncture occurs, the IUD will not work as a contraceptive device and so pregnancy may be possible. The IUD may need to be removed via a laparoscopy (operation). Antibiotics may be given if the doctor suspects an infection.			
•	Pregnancy , although rare, may occur. If pregnancy does occur, there is an increased rise ectopic pregnancy, miscarriage, and early delivery. In an ectopic pregnancy, surgery may be required, which can involve removing a fallopian tube. Rupture of ectopic pregnancy can be life-threatening and emergency surgery would be required. It is important to note the that overall risk of having an ectopic pregnancy is lower with an IUD than without.)		

	nt name: _ number: _ 3: _		
•	_	Some people feel a little dizzy or may faint during the procedure. This is rare but ged if it does occur.	
•		insert : Although your clinicians are very experienced, sometimes they will be sert the IUD at your appointment. If this happens they will make alternate hts for you.	
•	_	rsts: There is an association between the hormonal IUDs and ovarian cysts but generally do not cause any problems.	
•	any other tes	an issue with your IUD, please contact us as we can arrange an ultrasound and sts to ensure your safety. We will always request bulk billing for these tests but re card holders will have an out of pocket expense.	
•	The IUD doe	es not protect against sexually transmissible infections	
l a co pr	m aware of the intraceptive me egnancy, so I	e effectiveness of an IUD as well as its effectiveness compared with other ethods. I am aware that no contraceptive method is 100% effective at preventing could have a small chance of becoming pregnant. It the hormonal IUD is 99.8% effective and the Copper IUD is 99.2% effective.	
l u pe	lvic infection,	ations at some medical conditions including, but not limited to, current or unresolved undiagnosed vaginal bleeding, abnormalities of the uterine cavity (e.g. fibroids), cancer, severe liver disease, and Wilson's Disease may affect my use of an IUD.	
l h me	ave told my do	consibilities contor about medications that may increase my risk of bleeding (e.g. Warfarin®), ons that increase my risk of bleeding (e.g. haemophilia), and past obstetric or surgeries (e.g. caesarean section), as these may affect the insertion of an IUD.	
Ιh	ave told my do	octor of any medications I am taking.	
		It having an IUD may affect treatment of some medical conditions, so I will alth professionals I see that I have an IUD in place.	
Ιu		hormonal IUD should be removed after 5 years of use. If I am over 45 years of sed for contraception for longer, which I will discuss with my doctor.	
		Copper IUD should be removed after 5-10 years of use. If I am over 40 years of s a longer duration with my doctor.	
		t leaving an IUD in place longer that the recommended time, may increase the gnancy. I am aware that it is my responsibility to arrange removal.	

Client name: File number: DOB:		
	Pre-removal section	
	Not A (If inserting only, please skip to nex	Applicable tt section)
Things to co	tic	tient to k boxes
Pain may of topical heat	occur following removal of the IUD and can be managed with simple analgesics or t packs.	
	hay be unable to be removed in some situations. If this happens your clinician ternate arrangements for you.	
If pregnanc	fertility can occur rapidly following the removal of the IUD. y is not intended, I have abstained from sexual intercourse for 7 days prior to d have arranged adequate ongoing contraception.	
	Allergic reactions	
cleaning solution	my clinician of any known allergies, especially allergies to local anaesthetic, ons, hormones (e.g. levonorgestrel), plastics, metals (e.g. copper), latex or any of or products contained in the hormonal IUD or copper IUD.	
	Acknowledgement	
	ood the information concerning IUDs and have raised any questions I have with contact my doctor should I require further advice.	
I have received	a written information brochure about my IUD	

OOB:				
Consent for insertion (if applicable)				
Client Based on the information above, I willingly consent for my clinician to insert an IUD (please specify type/brand). By ticking the items above, I acknowledge that these are understood by me and have been discussed with my clinician.				
Signed by client Date//				
Health professional I have explained the risks and benefits of an IUD insertion to this client.				
Signed by Date//				
Consent for removal (if applicable)				
Client Based on the information above, I willingly consent for my clinician to remove my IUD. By ticking the items above, I acknowledge that these are understood by me and have been discussed with my clinician.				
Signed by client Date//				
Health professional I have explained the risks and benefits of implant removal to this client.				
Signed by Date//				
Interpreter (if applicable) Language: I declare that I have interpreted the details on this form and the dialogue between the client and health practitioner to the best of my ability. I have advised the health practitioner of any concerns about my performance.				
Signed TIS Number: Date//				

^{*} Adapted with the permission and courtesy of Sexual Health Quarters

Client name:	
File number:	
DOB:	

BLANK PAGE